

Fig. 1

BREAST TUMOR mRNA
NORMAL BREAST TISSUE mRNA




Fig. 2




Fig. 3

GENOMIC CLONE MAP




Fig. 4

Figure 5A and 5B are schematic diagrams of the genome organization of the *SV40* virus. The genome is a circular DNA molecule of approximately 7,200 base pairs. The diagrams show the locations of various restriction enzyme sites and the organization of the viral genome into early and late regions.




Fig. 5A




Fig. 5B

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B18Ag1

TTA GAG ACC CAA TTG GGA CCT AAT TGG GAC CCA AAT TTC TCA AGT GGA	48
Leu Glu Thr Gln Leu Gly Pro Asn Trp Asp Pro Asn Phe Ser Ser Gly	
1 5 10 15	
GGG AGA ACT TTT GAC GAT TTC CAC CGG TAT CTC CTC GTG GGT ATT CAG	96
Gly Arg Thr Phe Asp Asp Phe His Arg Tyr Leu Leu Val Gly Ile Gln	
20 25 30	
GGA GCT GCC CAG AAA CCT ATA AAC TTG TCT AAG GCG ATT GAA GTC GTC	144
Gly Ala Ala Gln Lys Pro Ile Asn Leu Ser Lys Ala Ile Glu Val Val	
35 40 45	
CAG GGG CAT GAT GAG TCA CCA GGA GTG TTT TTA GAG CAC CTC CAG GAG	192
Gln Gly His Asp Glu Ser Pro Gly Val Phe Leu Glu His Leu Gln Glu	
50 55 60	
GCT TAT CGG ATT TAC ACC CCT TTT GAC CTG GCA GCC CCC GAA AAT AGC	240
Ala Tyr Arg Ile Tyr Thr Pro Phe Asp Leu Ala Ala Pro Glu Asn Ser	
65 70 75 80	
CAT GCT CTT AAT TTG GCA TTT GTG GCT CAG GCA GCC CCA GAT AGT AAA	288
His Ala Leu Asn Leu Ala Phe Val Ala Gln Ala Ala Pro Asp Ser Lys	
85 90 95	
AGG AAA CTC CAA AAA CTA GAG GGA TTT TGC TGG AAT GAA TAC CAG TCA	336
Arg Lys Leu Gln Lys Leu Glu Gly Phe Cys Trp Asn Glu Tyr Gln Ser	
100 105 110	
GCT TTT AGA GAT AGC CTA AAA GGT TTT	363
Ala Phe Arg Asp Ser Leu Lys Gly Phe	
115 120	

Fig. 6

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B17Ag1

GC TGGGCACAGT GGCTCATACC TGTAATCCTG ACCGTTTCAG AGGCTCAGGT	60
CG CTTGAGCCCA AGATTTCAAG ACTAGTCTGG GTAACATAGT GAGACCCTAT	120
AA AAATAAAAAA ATGAGCCTGG TGTAGTGGCA CACACCAGCT GAGGAGGGAG	180
CT AGGAGA	196

Fig. 7

$$\begin{array}{ccccccc} \frac{\partial^2 u}{\partial t^2} & = & -\Delta u & + & f(u) & & \\ \frac{\partial u}{\partial t} & = & g(u) & & & & \\ u & = & h(x,y,z,t) & & & & \end{array}$$
[illegible][illegible][illegible][illegible][illegible]

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B13Ag1b

GC CATACAGTGC CTTTCCATTT ATTTAACCCC CACCTGAACG GCATAAACTG 60
GC TGGTGTTTTT TACTGTAAAC AATAAGGAGA CTTTGCTCTT CATTTAAACC 120
AT TTCATATTTT ACGCTCGAGG GTTTTTACCG GTTCCTTTTT ACACTCCTTA 180
TT TAAGTCGTTT GGAACAAGAT ATTTTTTCTT TCCTGGCAGC TTTTAACATT 240
TT TGTGCTGGG GGAAGTCTGG TCACTGTTT TCACAGTTGC AAATCAAGGC 300
CC AAGAAAAAAA AATTTTTTTG TTTTATTGA AACTGGACCG GATAAACGGT 360
CG GCTGCTGTAT ATAGTTTTAA ATGGTTTATT GCACCTCCTT AAGTTGCACT 420
GG GGGGNTTTTG NATAGAAAGT NTTTANTCAC ANAGTCACAG GGACTTTTNT 480
NA CTGAGCTAAA AAGGGCTGNT TTTCGGGTGG GGGCAGATGA AGGCTCACAG 540
TC TCTTAGAGGG GGGAACNCT A 571

Fig. 10

$\frac{d}{dt} \left(\frac{\partial L}{\partial \dot{x}} \right) = \frac{\partial L}{\partial x}$

6

Fig. 11

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B11Ag1

TG CACATGCAGA ATATTCTATC GGTACTTCAG CTATTACTCA TTTTGATGGC 60
AG CCTATCCTCA AGATGAGTAT TTAGAAAGAA TTGATTTAGC GATAGACCAA 120
GC ACTCTGACTA CACGAAATTG TTCAGATGTG ATGGATTTAT GACAGTTGAT 180
GA GATTATTAAG TGATTATTTT AAAGGGAATC CATTAATTCC AGAATATCTT 240
TC AAGATGATAT AGAAATAGAA CAGAAAGAGA CTACAAATGA AGATGTATCA 300
TA TTGAAGAGCC TATAGTAGAA AATGAATTAG CTGCATTAT TAGCCTTACA 360
TT TTCTGATGA ATCTTATATT CAGCCATCGA CATAGCATT CCTGATGGGC 420
GA ATAATAGAAA CTGGGTGCGG GGCTATTGAT GAATTCATCC NCAGTAAATT 480
AC AAAATATAAC TCGATTGCAT TTGGATGATG GAATACTAAA TCTGGCAAAA 540
GG AGCTACTAGT AACCTCTCTT TTTGAGATGC AAAATTTTCT TTTAGGGTTT 600
CT ACTTTACGGA TATTGGAGCA TAACGGGA 638

Fig. 12

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B3CA3c

ACTGATGGAT GTCGCCGGAG GCGAGGGGCC TTATCTGATG CTCGGCTGCC TGTTCTGAT 60
GTGCGCGGCG ATTGGGCTGT TTATCTCAA CACCGCCACG GCGGTGCTGA TGGCGCCTAT 120
TGCCTTAGCG GCGGCGAAGT CAATGGGCGT CTCACCCTAT CCTTTTGCCA TGGTGGTGGC 180
GATGGCGGCT TCGGCGGCGT TTATGACCCC GGTCTCCTCG CCGGTAAACA CCCTGGTGCT 240
TGGCCCTGGC AAGTACTCAT TTAGCGATTT TGTCAAATA GCGGTG 286

Fig. 13

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B9CG1

AG CAGCCCCCTC TTCTCAATTT CATCTGTCAC TACCCTGGTG TAGTATCTCA 60
CA TTTTATAGC CTCCTCCCTG GTCTGTCTTT TGATTTTCCT GCCTGTAATC 120
AC ATAAGTCAA GTAAACATTT CTAAAGTGTG GTTATGCTCA TGCACTCCT 180
AA ATAGTTTCCA TTACCGTCTT AATAAAATTC GGATTTGTTC TTTNCTATTN 240
CA CCTATGACCG AA 262

Fig. 14

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B9CG3

AG CAAAGCCAGT GGTTTGAGCT CTCTACTGTG TAAACTCCTA AACCAAGGCC 60
TA AATGGTGGCA GGATTTTAT TATAAACATG TACCCATGCA AATTCCTAT 120
GA TATATTCTTC TACATTTAAA CAATAAAAAT AATCTATTTT TAAAAGCCTA 180
AG TTAGGTAAGA GTGTTTAATG AGAGGGTATA AGGTATAAAT CACCAGTCAA 240
TG CCTATGACCG A 261

Fig. 15

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B2CA2

CGACGTCGGT AAAATCGGAC ATGAAGCCAC CGCTGGTCTT TTCGTCCGAG CGATAGGCGC	60
CGGCCAGCCA GCGGAACGGT TGCCCGGATG GCGAAGCGAG CCGGAGTTCT TCGGACTGAG	120
TATGAATCTT GTTGTGAAAA TACTCGCCGC CTTCGTTCGA CGACGTCGCG TCGAAATCTT	180
CGAACTCCTT ACGATCGAAG TCTTCGTGGG CGACGATCGC GGTCAGTTCC GCCCCACCGA	240
AATCATGGTT GAGCCGGATG CTGCCCCCGA AGCCCT	276

Fig. 16

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE BREAST-TUMOR SPECIFIC cDNA B3CA1

CCCAGGTCAA CCAGGCTGCA ACACGCAGGT CCTTGGATTG GGCACGAAGC AGCGCTTCGC	60
TGTTTTCCAG GATTTTCAAC CAGTCGGTCT GGCCGTTCTC ATGGAGCGAG AGCGCCTTGC	120
CCAGCTCATT TTCCAGCGCC TCGTATTCGC TGGAAAAACG CACATCCTCA CCCGCAAAGA	180
CATCCTTTGA AATCGGCTGT TCCGCGAGTT CCAGATANTG CGAGGAGAGC TTGCTCGAAT	240
AGGTCATCCT AACCCCTTCAA TGCACACCAT GTGCGCCAAT GAATATCTTA ACAATTCAAC	300
TAGTTGGCAT AANAACCGAA CGAAAATCCC AATAGTCTGA AGAGCTCTTT TG	352

Fig. 17

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B3CA2

CTGCATGTCC	ACGGCCTGGA	TTTACGGGTG	GTCGGCGTTC	ACCCCTGGCA	GCTGGCGCTC	60
TTCCCGACCA	GGCCCAGCAG	GATGTGTGGG	GCAAGGATAA	CGGCGTGCGC	ATCGCCTCGA	120
CCTATATGCC	TACTGGCAAG	GCCGAGCCCG	TGGAAGGCGG	ATTCAGGTTC	ANCGGTCGCT	180
GGAGCTTTTC	CACCGGCTCC	ATGCATTGTG	ACTGGCTGTT	TCTAGGCGGT	CTGTTGCCCA	240
AGCGTGATGG	TACGTCTGGC	CTGGAGCATG	TGACTTTCTG			280

Fig. 18

NUCLEOTIDE SEQUENCE OF THE REPRESENTATIVE
BREAST-TUMOR SPECIFIC cDNA B3CA3

AG GGAGCAAGGA GAAGGCATGG AGAGGCTCAN GCTGGTCCTG GCCTACGACT 60
CT GTCGCCGGGG ATGGTGGAGA ACTGAAGCGG GACCTCCTCG AGGTCTCTCG 120
TC NCCGTCCAGG AGGAGGGTCT TTCCGTGGTC TNGGAGGAGC GGGGGGAGAA 180
TC ATGGTCNACA TCCC 204

Fig. 19

[illegible]

264

11

bioRxiv preprint doi: <https://doi.org/10.1101/000000>; this version posted May 1, 2014. The copyright holder for this preprint (which was not certified by peer review) is the author/funder, who has granted bioRxiv a license to display the preprint in perpetuity. It is made available under aCC-BY-NC-ND 4.0 International license.




Fig. 21A




Fig. 21B




Fig. 22




Fig. 23

Recognition of Tumor Cell Lines by Clone A1




Fig. 24